




ONLINE CATALOG

10mm (3/8") Dia. Rod Display Systems

Features & Components



CONTACT INFORMATION

- To Order Products, Check Status of Your Order or Track Your Package... call toll free **800-753-9688**
- Send Your Inquires, Questions or Comments to **info@novadisplay.com**
(For assistance with general questions or actual display projects, please fax or e-mail us a short description and a graphical attachment. For best results, please send us a rough sketch or a project lay-out with dimensions and any special details. Using your drawing, we will generate a quote and specification sheet for the parts that lists the pricing, availability, delivery time, etc. You will receive a copy for review before ordering)
- For more information on our products and services, including pricing, technical information, and installation instructions visit our website at **www.novadisplay.com**
- You are also invited to visit our Online Store at **www.store.novadisplay.com**, where you will find various concept ideas and a comprehensive range of standard "Display Kits".

1626 Piner Road
Santa Rosa, CA 95403

1.800.753.9688 toll
1.800.753.0856 fax


1.707.535.0253 tel
1.707.535.0254 fax

www.novadisplay.com
www.store.novadisplay.com

info@novadisplay.com
sales@novadisplay.com


Rod Display Systems

10mm Rod System - Features & Benefits




Create a highly visual presentation using rods...

- Extremely Strong**
Rods can support up to **200kg (441lbs)**. The rod system provides greater stability than cables, with dynamic, yet elegant appearance. Rods are available in **1.5m, 1.0m and 0.5m** lengths.
- Wall Fixing**
Fix rods directly back to the wall with **WM11-10, WM11L-10 or RS03-10**. Ideal for creating high impact graphics presentations.



- Designed and manufactured to the highest possible standards of quality.
- 5 year guarantee on all metal components.
- Extensive range of components and accessories ensure complete design flexibility.
- Low voltage lighting can be fully integrated onto the 10mm rods.



HARDWARE OPTIONS

- Use P01 base plate on page 40 with WM11-10 or WM11L-10 supports when mounting onto plaster board or for creating a design accent.

ORDERING TIP:

The following details must be provided when ordering: product name, item number, and item finish code.

Rod Display Systems

10mm Rods & Fixings

THREADED ROD - BOTH ENDS
1.5M (4' 11-1/16") Rod, Right Hand Threaded
 • A male thread at one end and a female at the other, allow rods to be joined together to make any length.
 • Once screwed together the rods look like a continuous rod.

Size: 1.5m (4' 11-1/16") Length, 10mm (3/8") Diameter.

R1500-10	Stainless Steel	183
N/A	Polished Chrome	
N/A	Polished Brass	



THREADED ROD - BOTH ENDS
1.0M (3' 3-3/8") Rod, Right Hand Threaded
 • A male thread at one end and a female at the other, allow rods to be joined together to make any length.
 • Once screwed together the rods look like a continuous rod.

Size: 1.0m (3' 3-3/8") Length, 10mm (3/8") Diameter.

R1000-10	Stainless Steel	184
N/A	Polished Chrome	
N/A	Polished Brass	



THREADED ROD - BOTH ENDS
0.5M (1' 7-11/16") Rod, Right Hand Threaded
 • A male thread at one end and a female at the other, allow rods to be joined together to make any length.
 • Once screwed together the rods look like a continuous rod.

Size: 0.5m (1' 7-11/16") Length, 10mm (3/8") Diameter.

R500-10	Stainless Steel	185
N/A	Polished Chrome	
N/A	Polished Brass	



TOP/BOTTOM FITTING FOR ROD
 • The basic kit for fixing rods from ceiling to floor.
 • Includes top fixing (screw fit) and bottom tensiometer.

Size: 18mm (11/16") Diameter top fixing, 22mm (7/8") Dia. bottom fixing

RAS-10	Satin Chrome	186
N/A	Polished Chrome	
N/A	Polished Brass	



ROD CEILING SUPPORT - SCREW FIT
 • Ideal for use with ceiling suspended signage and graphic presentations.

Size: 18mm (11/16") Diameter.


RS-10	Satin Chrome	187
N/A	Polished Chrome	
N/A	Polished Brass	



WALL FITTING FOR ROD
 • Adjustable to any angle. Locks into position.
 • Use for mounting vertical or horizontal rods to wall.
 • Use up to no. 10 screw or toggle bolt to fix.

Size: 36mm (1-3/8") Length, 18mm (11/16") Diameter, Rod projects 1-1/8" from wall.




WM11-10	Satin Chrome	188
N/A	Polished Chrome	
N/A	Polished Brass	



WALL FITTING FOR ROD
 • Adjustable to any angle. Locks into position.
 • Use for mounting vertical or horizontal rods to wall.
 • Use up to no. 10 screw or toggle bolt to fix.

Size: 59mm (2-5/16") Length, 18mm (11/16") Diameter, Rod projects 2-1/8" from wall.

WM11L-10	Satin Chrome	189
N/A	Polished Chrome	
N/A	Polished Brass	



HARDWARE OPTIONS


- Use heavy duty ceiling support on page 40 with 10mm rods for better fixing.

FINISH OPTIONS:

Standard finishes: Satin Chrome, Polished Chrome, Brass. Special finishes available on request.

Rod Display Systems

Panel Supports for 10mm Rods




VERTICAL SUPPORT - SINGLE Non-Removable

- For panels up to 7mm (1/4") thick.

Size: 29mm (1-1/8") Length, 18mm (11/16") Diameter.

RG01-10	Satin Chrome	190
N/A	Polished Chrome	
N/A	Polished Brass	




VERTICAL SUPPORT - DOUBLE Non-Removable

- For panels up to 7mm (1/4") thick.

Size: 40mm (1-9/16") Length, 18mm (11/16") Diameter.

RG02-10	Satin Chrome	191
N/A	Polished Chrome	
N/A	Polished Brass	




MULTI-POSITION PANEL SUPPORT - SINGLE / Non-Removable

- For panels up to 7mm (1/4") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 34mm (1-5/16") Length, 18mm (11/16") Diameter.

RG11-10	Satin Chrome	192
N/A	Polished Chrome	
N/A	Polished Brass	




MULTI-POSITION PANEL SUPPORT - DOUBLE / Non-Removable

- For panels up to 7mm (1/4") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 49mm (1-15/16") Length, 18mm (11/16") Diameter.

RG21-10	Satin Chrome	193
N/A	Polished Chrome	
N/A	Polished Brass	




MULTI-POSITION PANEL SUPPORT - SINGLE / Non-Removable

- For panels up to 10mm (3/8") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 34mm (1-5/16") Length, 18mm (11/16") Diameter.

RG13-10	Satin Chrome	194
N/A	Polished Chrome	
N/A	Polished Brass	



MULTI-POSITION PANEL SUPPORT - DOUBLE / Non-Removable

- For panels up to 10mm (3/8") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 49mm (1-15/16") Length, 18mm (11/16") Diameter.

RG23-10	Satin Chrome	195
N/A	Polished Chrome	
N/A	Polished Brass	



VERTICAL SUPPORT - SINGLE Non-Removable

- For panels up to 12.7mm (1/2") thick.


Size: 29mm (1-1/8") Length, 20mm (13/16") Diameter.

RG14-10	Satin Chrome	196
N/A	Polished Chrome	
N/A	Polished Brass	

DESIGN TIPS


Mix & Match

- add signs & graphic panels
- low voltage lighting
- glass shelving
- acrylic pockets...




HARDWARE OPTIONS


- Clamp supports for glass shelves... back and front attachment



- Clamp supports for glass shelves... side attachment



- Multi-position clamp supports... use for sloping shelves suspension



ORDERING TIP:

The following details must be provided when ordering: product name, item number, and item finish code.

Rod Display Systems

Panel & Frame Supports for 10mm Rods


SUPPORT FOR PANELS WITH HOLES

- SINGLE / Non-Removable

- To hold standard panels 7mm (1/4") thick.
- Hole size 6mm (15/64") Dia.
- Supports panels up to 20mm (3/4") thick are also available.

Size: 30mm (1-3/16") Length, 18mm (11/16") Diameter.

RS13-10	Satin Chrome	197
N/A	Polished Chrome	
N/A	Polished Brass	




SUPPORT FOR PANELS WITH HOLES

- DOUBLE / Non-Removable

- To hold standard panels 7mm (1/4") thick.
- Hole size 6mm (15/64") Dia.
- Supports panels up to 20mm (3/4") thick are also available.

Size: 42mm (1-21/32") Length, 18mm (11/16") Diameter.

RS23-10	Satin Chrome	198
N/A	Polished Chrome	
N/A	Polished Brass	




TOP/BOTTOM MULTI POSITION SUPPORT - SINGLE / Non-Removable

- For panels up to 7mm (1/4") thick.
- Adjustable to any angle. Locks into position.
- For panels wider than the distance between rods.

Size: 37mm (1-7/16") Length, 18mm (11/16") Diameter.

RG12-10	Satin Chrome	199
N/A	Polished Chrome	
N/A	Polished Brass	




TOP/BOTTOM MULTI POSITION SUPPORT - DOUBLE / Non-Removable

- For panels up to 7mm (1/4") thick.
- Adjustable to any angle. Locks into position.
- For panels wider than the distance between rods.

Size: 54mm (2-1/4") Length, 18mm (11/16") Diameter.

RG22-10	Satin Chrome	200
N/A	Polished Chrome	
N/A	Polished Brass	



SUPPORT FOR SCREW FIX PANEL - SINGLE / Non-Removable

- For any item fitted with boss ref. P02 (see below) or banner/hanging rail.

Size: 27mm (7/8") Length, 12mm (15/32") Internal Diameter, 6mm (15/64") Internal Depth, 18mm (11/16") Diameter.

RS03	Satin Chrome	201
N/A	Polished Chrome	
N/A	Polished Brass	




SUPPORT FOR SCREW FIX PANEL - DOUBLE / Non-Removable

- For any item fitted with boss ref. P02 (see below) or banner/hanging rail.

Size: 27mm (7/8") Length, 12mm (15/32") Internal Diameter, 6mm (15/64") Internal Depth, 18mm (11/16") Diameter.

RS04	Satin Chrome	202
N/A	Polished Chrome	
N/A	Polished Brass	




BOSS FOR USE WITH SUPPORTS

- Ref. RS03-10 or RS04-10. Use with up to no. 10 countersunk wood screw or bolt.

Size: 12mm (15/32") Diameter, 6mm (15/64") Depth.

P02	Nickel	203



■ PRODUCT INFO:

For more information on cable/rod display systems, including pricing, specifications, and installation instructions visit our website at www.novadisplay.com

■ HARDWARE OPTIONS:

Use P02 with any of supports RS03-10 or RS04-10. Fix it using up to no. 10 countersunk wood screw or bolt.

Rod Display Systems

Shelf Supports for 10mm Rods




PICTURE HOOK - SINGLE

- For mounting framed artwork

Size: 30mm (1-3/16") Height, 18mm (11/16") Depth, 18mm (11/16") Diameter.

RS12-10	Satin Chrome	204
N/A	Polished Chrome	
N/A	Polished Brass	




CLAMP SUPPORT FOR GLASS SHELVES - SINGLE / Non-Removable

- For Glass or Acrylic Shelves up to 7mm (1/4") thick.
- No holes required.

Size: 29mm (1-1/8") Length, 18mm (11/16") Diameter.

RG06-10	Satin Chrome	205
N/A	Polished Chrome	
N/A	Polished Brass	




CLAMP SUPPORT FOR GLASS SHELVES - DOUBLE / Non-Removable

- For Glass or Acrylic Shelves up to 7mm (1/4") thick.
- No holes required.

Size: 40mm (1-9/16") Length, 18mm (11/16") Diameter.

RG07-10	Satin Chrome	206
N/A	Polished Chrome	
N/A	Polished Brass	




MULTI-POSITION SHELF SUPPORT - SINGLE / Non-Removable

- For shelves up to 7mm (1/4") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 34mm (1-5/16") Length, 18mm (11/16") Diameter.

RG11-10	Satin Chrome	207
N/A	Polished Chrome	
N/A	Polished Brass	




MULTI-POSITION SHELF SUPPORT - DOUBLE / Non-Removable

- For shelves up to 7mm (1/4") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 49mm (1-15/16") Length, 18mm (11/16") Diameter.

RG21-10	Satin Chrome	208
N/A	Polished Chrome	
N/A	Polished Brass	




MULTI-POSITION SHELF SUPPORT - SINGLE / Non-Removable

- For shelves up to 10mm (3/8") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 34mm (1-5/16") Length, 18mm (11/16") Diameter.

RG13-10	Satin Chrome	209
N/A	Polished Chrome	
N/A	Polished Brass	




MULTI-POSITION SHELF SUPPORT - DOUBLE / Non-Removable

- For shelves up to 10mm (3/8") thick.
- Adjustable to any angle. Can be locked into position.
- Holes not required.

Size: 49mm (1-15/16") Length, 18mm (11/16") Diameter.


RG23-10	Satin Chrome	210
N/A	Polished Chrome	
N/A	Polished Brass	



- All clamp support fittings are supplied with special nylon tipped set screws that ensure an excellent grip.

INSTALLATION TIPS Sign & Panel Supports

- Rod system allows a variety of mounting solutions for your posters by using various supports...



ORDERING TIP:

The following details must be provided when ordering: product name, item number, and item finish code.

PRODUCT INFO:

For more information on cable/rod display systems, including pricing, specifications, and installation instructions visit our website at www.novadisplay.com

Rod Display Systems


Sundry Fittings/Rod & Rail Supports for 10mm Rods

SUPPORT FOR WOODEN OR GLASS SHELVES - SINGLE / Non-Removable

- Adjustable to any angle of slope.
- Can be locked into position.
- For glass shelves add ref. P08.

Size: 42mm (1-11/16") Length, 18mm (11/16") Diameter.

RS11-10	Satin Chrome	211
N/A	Polished Chrome	
N/A	Polished Brass	




SUPPORT FOR WOODEN OR GLASS SHELVES - DOUBLE / Non-Removable

- Adjustable to any angle of slope.
- Can be locked into position.
- For glass shelves add ref. P08.

Size: 68mm (2-3/4") Length, 18mm (11/16") Diameter.

RS21-10	Satin Chrome	212
N/A	Polished Chrome	
N/A	Polished Brass	



SCREW TO RETAIN GLASS SHELVES

- Supported on RS11-10 or RS21-10 to hold 6mm (15/64") thick as standard.
- Flush Finish. Plastic insert to protect glass.

Size: 16mm Dia., 6mm Dia. Hole, 12mm from the edge of the glass.

P08	Satin Chrome	213
	Polished Chrome	
	Polished Brass	




SUPPORT FOR ROD - SINGLE

- For 6mm (15/64") Dia. Rod
- Rods will banners & graphic presentations.

Size: 22mm (7/8") Length, 18mm (11/16") Diameter.

RS05-10	Satin Chrome	214
N/A	Polished Chrome	
N/A	Polished Brass	




SUPPORT FOR ROD - SINGLE

- For 6mm (15/64") Dia. Rod
- Rods will banners & graphic presentations.

Size: 27mm (1-1/16") Length, 18mm (11/16") Diameter.

RS06-10	Satin Chrome	215
N/A	Polished Chrome	
N/A	Polished Brass	




DECORATIVE END CUP FOR ROD

- For 10mm (3/8") Dia. Rod

Size: 15mm (9/16") Length, 10mm (3/8") Diameter.

REC-10	Satin Chrome	216
	Polished Chrome	
	Polished Brass	




SUPPORT FOR ROD - MULTI-POSITION

- For 6mm (15/64") and 10mm (3/8") Dia. Rods.
- Adjustable to any angle.
- Can be locked into position.

Size: 35mm (1-3/8") Length, 18mm (11/16") Diameter.

RR01-6/10	Satin Chrome	217
N/A	Polished Chrome	
N/A	Polished Brass	



FINISH OPTIONS:


Standard finishes: Satin Chrome, Polished Chrome, Brass. Special finishes available on request.




INSTALLATION TIPS

Shelf Supports


- Rod system can support various types of shelves made of glass, acrylic, wood, metal, etc.




RG06-10



RS11-10 + P08



RS11-10



RS21-10




FINISH OPTIONS:

Standard finishes: Satin Chrome, Polished Chrome, Brass. Special finishes available on request.

Rod Display Systems

Installation Accessories for 10mm Rods



SUPPORT FOR ROD - MULTI-POSITION

- For two 10mm (3/8") Dia. Rods.
- Adjustable to any angle.
- Can be locked into position.

Size: 35mm (1-3/8") Length, 18mm (11/16") Diameter.

RR01-10	Satin Chrome	218
N/A	Polished Chrome	
N/A	Polished Brass	



HEAVY DUTY CEILING SUPPORT

- Can be used with any standard ceiling or wall mounting fittings.
- Supplied with 1-1/2" long wood screws.

50mm (2") Diameter, 5mm (3/16") Depth

HDS	Satin Chrome	219



DECORATIVE SUPPORT PLATE

- Can be used with any standard ceiling or wall mounting fittings.

37mm (1-1/2") Diameter, 5mm (3/16") Depth

P01-PC01	Satin Chrome	220




DECORATIVE COVER DISK

- For 10mm rod. Use below false ceiling to hide hole, giving a professional finish.

25mm (1") Diameter, 5mm (3/16") Depth

CD-10	Satin Chrome	221



POWER CONNECTOR

- Allows electrical power to be connected to the rod. Excellent connection.

Size: 22mm (7/8") Length, 18mm (11/16") Diameter.

RS08-10	Satin Chrome	222




DECORATIVE SUPPORT PLATE

- Add to any of the cable / rod systems fittings.

Size: 38mm (1-1/2") Diameter.

P01	Satin Chrome	223



SINGLE WALL BRACKET




- Available in 3 sizes. All units can be fitted to the wall using up to no. 10 screws. Supplied with nut and bolt to connect rod to bracket.

MSB-25: 30mm (1-3/16") Height, 35mm (1-3/8") Depth, Cable Fixing: 25mm (63/64") from wall.
MSB: 60mm (2-23/64") Height, 60mm (2-23/64") Depth, Cable Fixing: 50mm (1-31/32") from wall.
MSB-100: 110mm (4-21/64") Height, 110mm (4-21/64") Depth, Cable Fixing: 100mm (3-15/16") from wall.

MSB-25	Silver	224
MSB	Silver	
MSB-100	Silver	

INSTALLATION TIPS

Low Voltage Lighting



- Quick Fit Toggle fits directly into almost any make of channel with 1/4" to 3/8" opening.



ORDERING TIP:

The following details must be provided when ordering: product name, item number, and item finish code.

PRODUCT INFO:

For more information on cable/rod display systems, including pricing, specifications, and installation instructions visit our website at www.novadisplay.com

Ordering, Payment & Return Policies

Ordering Policy

To start your order first, carefully review the product and service information on our web site, if you don't see exactly what you want, please contact us regarding availability, size, and quantity requirements for your project. Make sure you have decided on exactly what you need. Then, consult us on all your questions regarding our products, components and parts, because many of components can be easily confused. Contact us to receive a quote for your project. After placing an order, the customer receives via fax or e-mail a Customer Order Acknowledgment, which indicates in detail descriptions of items and pricing. Orders will not be processed without Nova Display, Inc. receiving a signed copy of said Customer Order Acknowledgment. Make sure to review and initial all areas. All changes to your orders of stock merchandise can be modified no later then 24 hours after receiving your order. We will call or fax you immediately should something change concerning your order.

Sample Policy

Nova Display, Inc. will provide samples for your testing and inspection. Most samples are supplied at 40% discounted cost (plus UPS Charges). If you need to order components for a prototype or fabrication of a prototype, please contact us for a quotation.

Payment Policy

All orders are shipped F.O.B Nova Display. We accept Visa, or Master Card, in addition to Money Orders, Cashier's Checks and Business/Personal Checks. For orders by phone, you may pre-pay your order via check or wire transfer. Orders prepaid with a check will be shipped within 24 hours of check clearance. New customers wishing to prepay an order totaling \$5,000 or more must allow 10 business days for their check to clear. This policy applies to personal, business, cashiers, and certified checks, as well as money orders.

Overseas customers may pay by Credit Card or Bank T/T at the time of shipment. We do not charge your credit card for any item until it is shipped, this doesn't apply to customized and non-standard items. All credit card orders are subject to credit verification and approval. For your protection, credit card orders shipped to an address other than your billing address may require additional verification.

Qualified businesses or organizations will be given Net 30 terms upon approved credit. In order to open an account, please provide a bank reference and three trade references. Customers with established credit are expected to pay NET within specific terms of their account, pre-established credit limits, and our standard Terms and Conditions, otherwise the line of credit will be discontinued.

All Custom Orders require a 50% Deposit before start of fabrication. Remainder due prior to shipping unless other terms have been determined by Nova Display, Inc. Credit Department.

All pricing and specifications are subject to change, without prior notice. Freight, handling and insurance will be added to your order. Please call for current pricing and availability. Send payments to: Nova Display, Inc., 1626 Piner Road, Santa Rosa, CA 94503

We also suggest you to use our automated ordering system when placing an order, or buying our products online. We accept electronic check payments via PayPal. It also allows you to make payments using VISA / Master Card / American Express. If you don't want to use our secure ordering system or are having problems using it call us toll free: 800-753-9688.

Quality Policy

All merchandise is produced to standard and commercial tolerances. Nova Display, Inc. warranties product to be free from defects in workmanship and material. When Nova Display has determined that a product is defective, it will be replaced. Nova Display liability is limited to the cost of the defective product. No other warranty is expressed or implied.

Shipping Policy

90% of orders on finished products are shipped out within 2-15 business days from our sales/distribution center. The custom made products or components which are not available in stock at the moment of ordering will be shipped in 2-8 weeks. Most orders are shipped via UPS or FedEx, unless otherwise specified. We offer express air and economical two day air service on most items in stock. For large orders, we'll ship freight collect by the most reliable and inexpensive carrier to your location.

Return Policy

Inspect all your shipment immediately upon arrival. If your order is not received in satisfactory condition, keep all packaging and notify us within (3) days of receipt. Stock merchandise in original, unopened packaging may be returned for refund within fifteen (15) days of receipt. Items must be in their original state (undamaged). Shipping and handling charges for returned items are non-refundable. All returns must be accompanied by the order statement. You may want to insure your return. We cannot be responsible for lost or misdirected returns. If you paid for your order by credit card, a credit will be issued and will appear on your billing statement. Returns must be insured for the invoiced value of the merchandise. Please note that custom merchandise is not returnable. A 15%-30% restocking fee will be charged on all returns. If you have any questions, ask your salesperson for details. Merchandise must be returned to: Nova Display, Inc., 1626 Piner Road., Santa Rosa, CA 95403-1908



*"All you need to create
high impact displays..."*

Lobbies

Receptions

Showrooms

Windows

Corridors

Exhibitions

Museums

Galleries

Offices

Retail Outlets

Banks

Point-of-Sale

Airports

Shopping Malls

Sport Arenas

Hotels

Universities

Colleges