


Aluminum End Cap

Reference: 370 111

For Use With: [PX 8000](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 109

For Use With: [PX 5000](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 110

For Use With: [PX 3135](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 107

For Use With: [PX 3001](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 112

For Use With: [PX 3032](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 123

For Use With: [PX 3450](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 124

For Use With: [PX 3002](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 108

For Use With: [PX 4032](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 113

For Use With: [PX 4026](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 121

For Use With: [PX 6033](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 114

For Use With: [PX 2033](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 133

For Use With: [TR 1100](#), [TR 1200](#), [TR 1220](#),
[TR 1300](#), [TR 1400](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [TR 1100](#)


Aluminum End Cap

Reference: 370 180

For Use With: [MR 1000](#), [MR 1100](#), [MR 1200](#),
[MR 1220](#), [MR 1300](#), [MR 1400](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [MR 1100](#)


Aluminum End Cap

Reference: 370 175

For Use With: [VS 45](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 178

For Use With: [VS 45108](#), [VS 45308](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [VS 45108](#)

Aluminum End Cap

Reference: 370 177

For Use With: [VS 4576](#), [VS 45376](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [VS 4576](#)


Aluminum End Cap

Reference: 370 138

For Use With: [VS 108](#), [VSX 108](#), [VS 108-3XXX Series](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [VS 108](#)


Aluminum End Cap

Reference: 370 139

For Use With: [VR 108](#), [VR 168](#), [VR 188](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [VR 108](#)



Aluminum End Cap

Reference: 370 140

For Use With: [VO 108](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



Aluminum End Cap

Reference: 370 190


For Use With: [VR 76](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs

0.8 mm ($\frac{1}{32}$ ") Adhesive

0.9 mm ($\frac{1}{32}$ ") Aluminum



Aluminum End Cap

Reference: 370 195


For Use With: [VS 76](#), [VSX 76](#), [VS 76-3XXX Series](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs

0.8 mm ($\frac{1}{32}$ ") Adhesive

0.9 mm ($\frac{1}{32}$ ") Aluminum




End cap shown with [VS 76](#)

Aluminum End Cap

Reference: 370 186

For Use With: [S 135](#)Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 187

For Use With: [S 232](#)Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 188

For Use With: [S 345](#)Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 189

For Use With: [S 445](#)Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 105

For Use With: [PH 2000](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 117

For Use With: [PH 1080](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Aluminum End Cap

Reference: 370 103

For Use With: [PH 1003](#), [PH 1003B](#),
[PH 1070](#), [PH 1002](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [PH 1003](#)



Aluminum End Cap

Reference: 370 104

For Use With: [FH 451](#), [FH 452](#), [FH 761](#), [FH 762](#),
[FH 1081](#), [FH 1082](#), [PH 1005](#), [PH 1045](#), [PL 1012](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs



End cap shown with [PH 1005](#)



Aluminum End Cap

Reference: 370 116

For Use With: [TR 44](#), [TR 45](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs





Aluminum End Cap

Reference: 370 106

For Use With: [PH 1038](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs





Aluminum End Cap

Reference: 370 126

For Use With: [PH 1035](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs





Aluminum End Cap

Reference: 370 128

For Use With: [PH 1028](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs





Aluminum End Cap

Reference: 370 141

For Use With: [VO 76](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 0.01 lbs




Plastic End Cap

Reference: 390 111

For Use With: [PX 8000](#)

Colors: Black, Grey

Weight: 0.01 lbs




Plastic End Cap

Reference: 390 109

For Use With: [PX 5000](#)

Colors: Grey

Weight: 0.01 lbs




Plastic End Cap

Reference: 390 110

For Use With: [PX 3135](#)

Colors: Grey

Weight: 0.01 lbs




Plastic End Cap

Reference: 390 107

For Use With: [PX 3001](#)

Colors: Grey

Weight: 0.01 lbs




Plastic End Cap

Reference: 390 123

For Use With: [PX 3450](#)

Colors: Grey

Weight: 0.01 lbs



Plastic End Cap

Reference: 390 108

For Use With: [PX 4032](#)

Colors: Grey

Weight: 0.01 lbs





Plastic End Cap

Reference: 390 121

For Use With: [PX 6033](#)

Colors: Grey

Weight: 0.01 lbs




Plastic End Cap

Reference: 390 114

For Use With: [PX 2033](#)

Colors: Grey

Weight: 0.01 lbs





Plastic End Cap

Reference: 390 116

For Use With: [FH 451](#), [FH 452](#), [FH 761](#),
[FH 762](#), [FH 1081](#), [FH 1082](#), [PH 1005](#),
[PH 1045](#), [PL 1012](#), [TR 44](#), [TR 45](#)

Colors: Grey

Weight: 0.01 lbs



End cap shown with [PH 1005](#)



Plastic End Cap

Reference: 390 128

For Use With: [PH 1028](#)

Colors: Grey

Weight: 0.01 lbs




Plastic CBX Screw Cover

Reference: 390 970

Colors: Grey

Weight: 0.01 lbs



End cap enlarged to show detail.
Not to scale with other products. Screw sold separately

MR End Cap, Threaded

Reference: 370 180 THREAD


For Use With: [MR 1000](#), [MR 1100](#), [MR 1200](#),
[MR 1220](#), [MR 1300](#), [MR 1400](#)

Thread: 1/4"-20

Required Insert: [Square Plastic Insert](#)
(Reference: 354 912) with a 1/4"-20 UNC thread

Finish: Stainless Steel

Weight: 0.06 lbs



End cap shown with [MR 1100](#)

VO 76 End Cap, Threaded

Reference: 370 141 THREAD

For Use With: [VO 76](#)

Includes: 2 [DIN7991 M5 x 10](#) screws


Extrusion needs to be threaded accordingly

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Hex Key: 3 mm

Finish: Powder Coated Aluminum

Weight: 0.04 lbs



End cap shown with [VO 76](#)

Square Plastic Insert

Reference: 354 912

Thread: UNC 1/4"-20

For Use With: [FH 451](#), [FH 452](#), [FH 761](#), [FH 762](#), [FH 1081](#),
[FH 1082](#), [MR 1100](#), [MR 1200](#), [MR 1220](#), [MR 1300](#), [MR 1400](#),
[PH 1002](#), [PH 1003](#), [PH 1003B](#), [PH 1005](#), [PH 1028](#), [PH 1035](#),
[PH 1038](#), [PH 1045](#), [PH 1070](#), [PH 1080](#), [PH 2000](#), [PL 1012](#),
[PX 3032](#), [PX 4032](#), [S 135](#), [S 232](#), [TR 44](#), [TR 45](#), [VO 76](#)


Required Leveler: [Leveler \(Reference: 368 901\)](#) with a UNC 1/4"-20 thread

Weight: 0.01 lbs

19 mm ($\frac{3}{4}$ ")



1/4" 20
UNC
Threads



16.3 mm ($\frac{5}{8}$ ")



15.3 mm
($\frac{5}{8}$ ")

Round Steel Insert

Reference: 365 911

Thread: UNC 1/4"-20

For Use With: [PX 2033](#), [PX 3450](#), [PX 6033](#)

Required Leveler: [Leveler \(Reference: 368 901\)](#) with a UNC 1/4"-20 thread

Weight: 0.01 lbs

19 mm ($\frac{3}{4}$ ")



1/4" 20
UNC
Threads



14 mm ($\frac{9}{16}$ ")



14.6 mm
($\frac{9}{16}$ ")

Round Steel Insert

Reference: 366 911


Thread: UNC 5/16"-18

For Use With: [PX 8000](#), [S 345](#), [S 445](#), [VS 45](#)

Required Leveler: [Leveler \(Reference: 366 901\)](#) with a UNC 5/16"-18 thread

Weight: 0.03 lbs

25.5 mm (1")



5/16" 18
UNC
Threads



24 mm ($\frac{15}{16}$ ")



11 mm
($\frac{7}{8}$ ")

Round Steel Insert

Reference: 367 911

Thread: UNC 1/4"-20

For Use With: [PX 5000](#), [PX 3135](#), [PX 3001](#), [PX 3002](#)


Required Leveler: [Leveler \(Reference: 368 901\)](#) with a UNC 1/4"-20 thread

Weight: 0.02 lbs

22.3 mm ($\frac{7}{8}$ ")



1/4" 20
UNC
Threads



21.3 mm ($\frac{7}{8}$ ")



14.5 mm
($\frac{9}{16}$ ")

Round Plastic Insert

Reference: 387 911



Thread: UNC 1/4"-20

For Use With: [PX 4026](#)

Required Leveler: [Leveler \(Reference: 368 901\)](#)

with a UNC 1/4"-20 thread

Weight: 0.01 lbs



Steel Insert




Reference: 466 911

Thread: M8

For Use With: [PX 8000](#), [S 345](#), [S 445](#)

Required Leveler: [Leveler \(Reference: 466 901\)](#)

Weight: 0.03 lbs



Steel Insert




Reference: 450 133 11

Thread: M8

For Use With: [TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#)

Required Leveler: [Leveler \(Reference: 466 901\)](#)

Weight: 0.06 lbs



Steel Insert




Reference: 467 911

Thread: M8

For Use With: [PX 5000](#), [PX 3135](#), [PX 3001](#), [PX 3002](#)

Required Leveler: [Leveler \(Reference: 468 901\)](#)

Weight: 0.02 lbs



Insert Block


Reference: 652 138

For Use With: [VR 108](#), [VR 168](#), [VR 188](#), [VS 108](#), [VS 108-3XXX Series](#)

Includes: 2 [DIN7991 M4 x 20](#) screws, 1 [DIN7991 M10 x 25](#) screw

Hex Keys: 6 mm, 2.5 mm

Weight: 0.19 lbs



Insert Block



Reference: 652 707

For Use With: [VR 108](#), [VR 188](#), [VS 108](#), [VS 108-3XXX Series](#)

Includes: 4 [DIN7991 M4 x 20](#) screws, 1 [DIN7991 M10 x 25](#) screw

Hex Keys: 6 mm, 2.5 mm

Weight: 0.38 lbs



Insert Block



Reference: 652 195

For Use With: [VR 76](#), [VS 76](#), [VS 76-3XXX Series](#)

Includes: 2 [DIN7991 M4 x 14](#) screws, 1 [DIN7991 M10 x 25](#) screw

Hex Keys: 6 mm, 2.5 mm

Weight: 0.18 lbs



Insert Block


Reference: 652 103

For Use With: [PH 1003](#), [Slatwall \(1-Sided\)](#),
[Slatwall \(2-Sided\)](#), [TR 45](#)

Includes: 1 [DIN7991 M4 x 14](#) screw,
1 [DIN7991 M10 x 25](#) screw

Hex Keys: 2.5 mm, 6 mm

Weight: 0.20 lbs



Insert Block


Reference: 652 104

For Use With: [FH 451](#), [FH 452](#), [FH 761](#), [FH 762](#), [FH 1081](#),
[FH 1082](#), [PH 1002](#), [PH 1003B](#), [PH 1005](#), [PH 1038](#), [PH 1045](#),
[PH 1070](#), [PH 1080](#), [PH 2000](#), [PL 1012](#), [S 345](#), [S 445](#), [TR 44](#),
[TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#), [VO 108](#),
[VS 45](#), [VS 45108](#), [VS 45308](#), [VS 4576](#), [VS 45376](#)

Includes: 1 [DIN7991 M4 x 14](#) screw,
1 [DIN7991 M10 x 25](#) screw

Hex Keys: 2.5 mm, 6 mm

Weight: 0.15 lbs



Insert Block


Reference: 652 107

For Use With: [PX 3001](#)

Includes: 1 [DIN7991 M4 x 14](#) screw,
1 [DIN7991 M10 x 25](#) screw

Hex Keys: 2.5 mm, 6 mm

Weight: 0.10 lbs



Insert Block


Reference: 652 108

For Use With: [MR 1000](#), [MR 1100](#), [MR 1200](#),
[MR 1220](#), [MR 1300](#), [MR 1400](#), [PX 3032](#), [PX 4032](#),
[S 135](#), [S 232](#), [VO 76](#)

Includes: 1 [DIN7991 M4 x 14](#) screw,
1 [DIN7991 M10 x 25](#) screw

Hex Keys: 2.5 mm, 6 mm

Weight: 0.07 lbs



Insert Block


Reference: 652 111

For Use With: [PX 8000](#)

Includes: 1 [DIN7991 M4 x 14](#) screw,
1 [DIN7991 M10 x 25](#) screw

Hex Keys: 2.5 mm, 6 mm

Weight: 0.15 lbs



Insert Block


Reference: 652 121

For Use With: [PX 2033](#), [PX 3450](#), [PX 6033](#)

Includes: 1 [DIN7991 M4 x 12](#) screw,
1 [DIN7991 M8 x 20](#) screw

Hex Keys: 2.5 mm, 5 mm

Weight: 0.10 lbs



Insert Block


Reference: 652 127

For Use With: [PH 1028](#), [PH 1035](#)

Includes: 1 [DIN7991 M4 x 14](#) screw,
1 [DIN7991 M10 x 25](#) screw

Hex Keys: 2.5 mm, 6 mm

Weight: 0.09 lbs



Louver Block



Reference: 660 01

For Use With: [Horizontal Louver Assembly](#),
[Vertical Louver Assembly](#),

Includes: 1 [Nylon 5 x 6 Slotted](#) set screw,
1 [DIN916 M6 x 10](#) screw

Hex Key: 3 mm,
standard screw driver

Weight: 0.55 lbs



Leveler


Reference: 366 901

For Use With: [PX 8000](#), [S 345](#), [S 445](#), [VS 45](#)

Thread: 5/16"-18

Required Inserts: [Round Steel Insert \(Reference: 366 911\)](#) with a 5/16"-18 UNC thread

Weight: 0.08 lbs




Leveler

Reference: 368 901

For Use With: [FH 451](#), [FH 452](#), [FH 761](#), [FH 762](#), [FH 1081](#), [FH 1082](#), [MR 1100](#), [MR 1200](#), [MR 1220](#), [MR 1300](#), [MR 1400](#), [PH 1002](#), [PH 1003](#), [PH 1003B](#), [PH 1005](#), [PH 1028](#), [PH 1035](#), [PH 1038](#), [PH 1045](#), [PH 1070](#), [PH 1080](#), [PH 2000](#), [PL 1012](#), [PX 3032](#), [PX 4032](#), [S 135](#), [S 232](#), [TR 44](#), [TR 45](#), [VO 76](#)

Thread: 1/4"-20

Weight: 0.04 lbs




Leveler

Reference: 360 901

For Use With: [TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#), [VO 108](#), [VR 108](#), [VR 168](#), [VR 188](#), [VS 108](#), [VS 108-3XXX Series](#), [VSX 108](#), [VS 45108](#), [VS 45308](#), [VS 4576](#), [VS 45376](#), [VR 76](#), [VS 76](#), [VS 76-3XXX Series](#), [VSX 76](#)

Screw Thread: M10 x 1.5

Weight: 0.07 lbs



Leveler


Reference: 466 901

For Use With: [PX 8000](#), [S 345](#), [S 445](#),
[TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#)

Required Inserts: [Round Steel Insert \(Reference: 366 911\)](#),
[Steel Insert \(Reference: 450 133 11\)](#)

Thread: M8

Weight: 0.09 lbs



Leveler


Reference: 468 901

For Use With: [PX 5000](#), [PX 3135](#), [PX 3001](#), [PX 3002](#)

Required Insert: [Steel Insert \(Reference: 467 911\)](#)

Thread: M8

Weight: 0.06 lbs




Leveler and Plastic Insert Set

Reference: 354 02

For Use With: [FH 451](#), [FH 452](#), [FH 761](#), [FH 762](#), [FH 1081](#),
[FH 1082](#), [MR 1100](#), [MR 1200](#), [MR 1220](#), [MR 1300](#),
[MR 1400](#), [PH 1002](#), [PH 1003](#), [PH 1003B](#), [PH 1005](#),
[PH 1028](#), [PH 1035](#), [PH 1038](#), [PH 1045](#), [PH 1070](#),
[PH 1080](#), [PH 2000](#), [PL 1012](#), [PX 3032](#), [PX 4032](#),
[S 135](#), [S 232](#), [TR 44](#), [TR 45](#), [VO 76](#)

Includes: [Square Plastic Insert \(Reference: 354 912\)](#),
[Leveler \(Reference: 368 901\)](#)

Weight: 0.05 lbs




Leveler and Insert Set

Reference: 365 01

For Use With: [PX 2033](#), [PX 3450](#), [PX 6033](#)

Includes: [Round Steel Insert \(Reference: 365 911\)](#),
[Leveler \(Reference: 368 901\)](#)

Weight: 0.06 lbs




Leveler and Insert Set

Reference: 366 01

For Use With: [PX 8000](#), [S 345](#), [S 445](#), [VS 45](#)

Includes: [Round Steel Insert \(Reference: 366 911\)](#),
[Leveler \(Reference: 368 901\)](#)

Weight: 0.10 lbs




Leveler and Insert Set

Reference: 367 01

For Use With: [PX 5000](#), [PX 3135](#), [PX 3001](#), [PX 3002](#)

Includes: [Round Steel Insert \(Reference: 367 911\)](#),
[Leveler \(Reference: 368 901\)](#)

Weight: 0.10 lbs




Leveler and Insert Set

Reference: 387 01

For Use With: [PX 4026](#)

Includes: [Round Plastic Insert \(Reference: 387 911\)](#),
[Leveler \(Reference: 368 901\)](#)

Weight: 0.09 lbs



Leveler and Insert Set


Reference: 361 01

For Use With: [TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#),
[VO 108](#), [VS 45](#), [VS 45108](#), [VS 45308](#), [VS 4576](#), [VS 45376](#)

Includes: [Insert Block \(Reference: 652 104\)](#),
[Leveler \(Reference: 360 901\)](#), 1 [DIN7991 M4 x 14](#) screw

Hex Key: 2.5 mm

Weight: 0.25 lbs



Leveler and Insert Set

Reference: 360 01



For Use With: [VR 108](#), [VR 168](#), [VR 188](#), [VS 108](#), [VS 108-3XXX Series](#)

Includes: [Insert Block \(Reference: 652 138\)](#),

[Leveler \(Reference: 360 901\)](#), 2 [DIN7991 M4 x 20](#) screws

Hex Key: 2.5 mm

Weight: 0.30 lbs



Leveler and Insert Set

Reference: 360 02



For Use With: [VR 108](#), [VR 168](#), [VR 188](#), [VS 108](#), [VS 108-3XXX Series](#)

Includes: [Insert Block \(Reference: 652 707\)](#),

[Leveler \(Reference: 360 901\)](#), 4 [DIN7991 M4 x 20](#) screws

Hex Key: 2.5 mm

Weight: 0.35 lbs



Leveler and Insert Set

Reference: 359 01


For Use With: [VR 76](#), [VS 76](#), [VS 76-3XXX Series](#)

Includes: [Insert Block \(Reference: 652 195\)](#),

[Leveler \(Reference: 360 901\)](#), 2 [DIN7991 M4 x 14](#) screws

Hex Key: 2.5 mm

Weight: 0.28 lbs




Leveler and Insert Set

Reference: 466 01

For Use With: PX 8000, S 345, S 445

Includes: Steel Insert (Reference: 466 911),
Leveler (Reference: 466 901)

Weight: 0.11 lbs



Leveler and Insert Set


Reference: 450 133 01

For Use With: TR 1100, TR 1200, TR 1220, TR 1300,
TR 1400,

Includes: Steel Insert (Reference: 450 133 11),

Leveler (Reference: 466 901)

Weight: 0.10 lbs



Leveler and Insert Set


Reference: 467 01

For Use With: PX 5000, PX 3135, PX 3001, PX 3002

Includes: Steel Insert (Reference: 467 911),

Leveler (Reference: 468 901)

Weight: 0.06 lbs



Insert Glide

Reference: 321 01
 For Use With: [PX 4026](#)
 Material: Plastic, Black
 Weight: 0.01 lbs

11.5 mm ($\frac{7}{16}$ ")



10.5 mm ($\frac{7}{16}$ ")




13.5 mm
($\frac{1}{2}$ ")



Insert Glide

Reference: 508 01
 For Use With: [PX 8000](#), [S 345](#), [S 445](#), [VS 45](#)
 Material: Plastic, Black
 Weight: 0.01 lbs

28.2 mm ($1\frac{1}{8}$ ")



25.9 mm (1")



22.1 mm
($\frac{7}{8}$ ")



Insert Glide

Reference: 513 01
 For Use With: [PX 5000](#), [PX 3135](#), [PX 3001](#), [PX 3002](#)
 Material: Plastic, Black
 Weight: 0.01 lbs

22.4 mm ($\frac{7}{8}$ ")



19.7 mm ($\frac{3}{4}$ ")



22.1 mm
($\frac{7}{8}$ ")



Insert Glide

Reference: 527 01
 For Use With: [PH 1028](#), [PH 1035](#)
 Material: Plastic, Black
 Weight: 0.01 lbs

19.6 mm ($\frac{3}{4}$ ")



17.5 mm ($\frac{11}{16}$ ")



19 mm
($\frac{3}{4}$ ")





Insert Glide

Reference: 528 01

For Use With: [PX 3032](#), [PX 4032](#)

Material: Plastic, Black

Weight: 0.01 lbs




Insert Glide

Reference: 529 01

For Use With: [PX 2033](#), [PX 3450](#), [PX 6033](#)

Material: Plastic, Black

Weight: 0.01 lbs






Insert Glide

Reference: 530 01

For Use With: [PH 1002](#), [PH 1003B](#), [PH 1038](#),
[PH 1045](#), [PH 1070](#), [PH 1080](#), [PH 2000](#), [PL 1012](#)

Material: Plastic, Black

Weight: 0.01 lbs






Insert Glide

Reference: 531 01

For Use With: [PH 1080](#), [TR 45](#)

Material: Plastic, Black

Weight: 0.01 lbs




Caster with Brake

Reference: 363 1/4" WB

Thread: UNC 1/4"-20

Required Inserts: [Square Plastic Insert \(Reference: 354 912\)](#),
[Round Steel Insert \(Reference: 365 911\)](#), [Round Plastic Insert \(Reference: 387 911\)](#) with a UNC 1/4"-20 thread

Weight: 0.18 lbs




Caster with Brake

Reference: 363 5/16" WB

Thread: UNC 5/16"-18

Required Insert: [Round Steel Insert \(Reference: 366 911\)](#)
 with a UNC 5/16"-18 thread

Weight: 0.18 lbs




Caster without Brake

Reference: 363 1/4" NB

Thread: UNC 1/4"-20

Required Inserts: [Square Plastic Insert \(Reference: 354 912\)](#),
[Round Steel Insert \(Reference: 365 911\)](#), [Round Plastic Insert \(Reference: 387 911\)](#) with a UNC 1/4"-20 thread

Weight: 0.18 lbs




Caster without Brake

Reference: 363 5/16" NB

Thread: UNC 5/16"-18

Required Insert: [Round Steel Insert \(Reference: 366 911\)](#)
 with a UNC 5/16"-18 thread

Weight: 0.18 lbs



Large Square Floor Base


Reference: 625 SQ 15 UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 11.7 lbs



Small Square Floor Base


Reference: 625 SQ 12 UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 7.5 lbs



Rectangle Floor Base


Reference: 625 RECT UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 4.8 lbs



Small Round Floor Base


Reference: 625 RND 12 UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 5.90 lbs



Large Round Floor Base


Reference: 625 RND 15 UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 9.25 lbs



Dome Floor Base


Reference: 625 DOM UNI

Material: Steel

Finish: Silver [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 13.0 lbs



Triangle Floor Base


Reference: 625 TRI UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 7.29 lbs



Peanut Floor Base


Reference: 625 PEA

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Stem Compatibility: For appropriate stem, refer to chart on page [C5.20](#)

Weight: 3.60 lbs




Diamond Floor Base

Reference: 625 DIAM

Material: Steel

Finish: Silver [powder coat](#) paint

Weight: 2.33 lbs




Small Oval Floor Base

Reference: 625 OVAL SMALL UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Weight: 4.6 lbs





Large Oval Floor Base

Reference: 625 OVAL LARGE UNI

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Weight: 11.1 lbs



FH 15 Leg


Reference: 626 FH

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Includes: 1 [PA 2](#), 2 [DIN7991 M5 x 12](#) screws

Weight: 1.01 lbs



Large FH Leg


Reference: 627 FH

Material: Steel

Finish: Silver Vein [powder coat](#) paint

Includes: 1 [PA 23](#), 1 [PA 8](#), 3 [DIN7991 M5 x 12](#) screws

Weight: 1.84 lbs



Floor Base Stem

Reference: 360 911


Extrusion Compatibility: [VR 108](#), [VR 168](#), [VR 188](#), [VS 108](#), [VS 108-3XXX Series](#)

Includes: 2 [DIN7991 M4 x 20](#) screws, 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm, 2.5 mm

Weight: 0.31 lbs



Floor Base Stem

Reference: 360 921



Extrusion Compatibility: [VR 108](#), [VR 188](#), [VS 108](#), [VS 108-3XXX Series](#)

Includes: 4 [DIN7991 M4 x 20](#) screws, 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor bases, refer to chart on page [C5.20](#)

Hex Keys: 4 mm, 6 mm

Weight: 0.42 lbs



Floor Base Stem

Reference: 652 195



Extrusion Compatibility: [VR 76](#), [VS 76](#), [VS 76-3XXX Series](#)

Includes: 2 [DIN7991 M4 x 14](#) screws, 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm, 2.5 mm

Weight: 0.28 lbs



Floor Base Stem

Reference: 361 911


Extrusion Compatibility: [TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#), [VO 108](#)

Includes: 2 [DIN7991 M4 x 14](#) screws, 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm, 2.5 mm

Weight: 0.21 lbs



Floor Base Stem

Reference: 625 STEM 104


Extrusion Compatibility: [FH 451](#), [FH 452](#),
[FH 761](#), [FH 762](#), [FH 1081](#), [FH 1082](#), [PH 1005](#),
[PH 1038](#), [PH 1045](#), [S 345](#), [S 445](#), [TR 44](#),
[TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#),
[VS 45](#), [VS 45108](#), [VS 45308](#), [VS 4576](#), [VS 45376](#)

Includes: 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate
floor bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm

Weight: 0.67 lbs



Floor Base Stem

Reference: 625 STEM 107

Extrusion Compatibility: [PX 3001](#)

Includes: 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor
bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm

Weight: 0.52 lbs



Floor Base Stem

Reference: 625 STEM 108

Extrusion Compatibility: [MR 1000](#), [MR 1100](#),
[MR 1200](#), [MR 1220](#), [MR 1300](#), [MR 1400](#), [PX 3032](#),
[PX 3135](#), [PX 4032](#), [S 135](#), [S 232](#), [VO 76](#)

Includes: 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor
bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm

Weight: 0.35 lbs



Floor Base Stem

Reference: 625 STEM 109


Extrusion Compatibility: [PX 5000](#)

Includes: 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm

Weight: 0.56 lbs



Floor Base Stem

Reference: 625 STEM 110



Extrusion Compatibility: [PH 1028](#), [PH 1035](#), [PX 3135](#)

Includes: 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor bases, refer to chart on page [C5.20](#)

Hex Keys: 6 mm

Weight: 0.35 lbs



Floor Base Stem

Reference: 625 STEM 111


Extrusion Compatibility: [PX 8000](#)

Includes: 1 [DIN7991 M10 x 25](#) screw

Floor Base Compatibility: For appropriate floor bases, refer to chart on page [C5.20](#)



Hex Keys: 6 mm

Weight: 0.64 lbs



// Floor Base and Stem Compatibility Chart

C5.20

	 359 911	 360 911	 361 922	 361 911	 625 STEM 104	 625 STEM 107	 625 STEM 108	 625 STEM 109	 625 STEM 110	 625 STEM 111					
For Extrusion	 VS 76	 VR 76	 VS 108	 VR 108	 VS 108	 VO 108	 VS 4576	 VS 45	 PH 1005	 PX 3001	 PX 4032	 PX 3135	 PX 5000	 PX 3135	 PX 8000
	 VR 108	 VR 108	 VR 108	 VR 108	 VS 45108	 VS 45376	 VS 45308	 TR Series	 S 345	 PH 1045	 S 232	 S 135	 PH 1028	 PH 1035	
 Large Square	625 SQ 15 V76	625 SQ 15 139	625 SQ 15 139	625 SQ 15 140	625 SQ 15 104	625 SQ 15 107	625 SQ 15 108	625 SQ 15 109	625 SQ 15 110	625 SQ 15 111					
 Small Square	625 SQ 12 V76	625 SQ 12 139	625 SQ 12 139	625 SQ 12 140	625 SQ 12 104	625 SQ 12 107	625 SQ 12 108	625 SQ 12 109	625 SQ 12 110	625 SQ 12 111					
 Rectangle	625 RECT V76	Floor Base Not Available	Floor Base Not Available	625 RECT 140	625 RECT 104	625 RECT 107	625 RECT 108	625 RECT 109	625 RECT 110	625 RECT 111					
 Small Round	625 RND 12 V76	625 RND 12 139	625 RND 12 139	625 RND 12 140	625 RND 12 104	625 RND 12 107	625 RND 12 108	625 RND 12 109	625 RND 12 110	625 RND 12 111					
 Large Round	625 RND 15 V76	625 RND 15 139	625 RND 15 139	625 RND 15 140	625 RND 15 104	625 RND 15 107	625 RND 15 108	625 RND 15 109	625 RND 15 110	625 RND 15 111					
 Dome	625 DOM V76	625 DOM 139	625 DOM 139	625 DOM 140	625 DOM 104	625 DOM 107	625 DOM 108	625 DOM 109	625 DOM 110	625 DOM 111					
 Peanut	625 PEA V76	625 PEA 139	625 PEA 139	625 PEA 140	625 PEA 104	625 PEA 107	625 PEA 108	625 PEA 109	625 PEA 110	625 PEA 111					
 Triangle	625 TRI V76	625 TRI 139	625 TRI 139	625 TRI 140	625 TRI 104	625 TRI 107	625 TRI 108	625 TRI 109	625 TRI 110	625 TRI 111					

Horizontal Leg



Reference: 519 D01L (left) - 519 D01R (right)

Finish: Clear anodized

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Hex Key: 5 mm

Weight: 0.65 lbs



Angled Leg



Reference: 626 01

Finish: Clear anodized

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Hex Key: 5 mm

Weight: 0.73 lbs



Mounting Plate

Reference: 421 01

Reference: 421 02 without stem

Includes: 1 [DIN7991 M10 x 25](#) screw


Finish: Black Paint

Details: Includes PX 8000 Insert (insert for other extrusions can be substituted upon request)

Other: Mounting screws not included

Hex Key: 6 mm

Weight: 2.5 lbs



15° V Leg Mounting Plate

Reference: 420 02


For Use With: [FH 451](#), [FH 452](#), [FH 761](#), [FH 762](#), [FH 1081](#), [FH 1082](#), [PH 1002](#), [PH 1003B](#), [PH 1005](#), [PH 1038](#), [PH 1045](#), [PH 1070](#), [PH 1080](#), [PH 2000](#), [PL 1012](#), [S 345](#), [S 445](#), [TR 44](#), [TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#), [VO 108](#), [VS 45](#), [VS 45108](#), [VS 45308](#), [VS 4576](#), [VS 45376](#)

Finish: Silver powder coat paint

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Other: Mounting screws not included

Weight: 0.69 lbs



30° V Leg Base Plate

Reference: 420 01

For Use With: [FH 451](#), [FH 452](#), [FH 761](#), [FH 762](#), [FH 1081](#), [FH 1082](#), [PH 1002](#), [PH 1003B](#), [PH 1005](#), [PH 1038](#), [PH 1045](#), [PH 1070](#), [PH 1080](#), [PH 2000](#), [PL 1012](#), [S 345](#), [S 445](#), [TR 44](#), [TR 1100](#), [TR 1200](#), [TR 1220](#), [TR 1300](#), [TR 1400](#), [VO 108](#), [VS 45](#), [VS 45108](#), [VS 45308](#), [VS 4576](#), [VS 45376](#)

Finish: Silver powder coat paint

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)

Weight: 1.46 lbs

