



PX 8000

Reference: 111
Overview: Page [A1.1](#)
To Scale: Page [F1.1](#)



PX 5000

Reference: 109
Overview: Page [A1.1](#)
To Scale: Page [F1.1](#)



PX 3135

Reference: 110
Overview: Page [A1.1](#)
To Scale: Page [F1.1](#)



PX 3002

Reference: 124
Overview: Page [A1.2](#)
To Scale: Page [F1.2](#)



PX 3001

Reference: 107
Overview: Page [A1.2](#)
To Scale: Page [F1.1](#)



PX 3032

Reference: 112
Overview: Page [A1.2](#)
To Scale: Page [F1.2](#)



PX 3450

Reference: 123
Overview: Page [A1.2](#)
To Scale: Page [F1.2](#)



VS 45

Reference: 175
Overview: Page [A1.21](#)
To Scale: Page [F1.14](#)



PX 4032

Reference: 108
Overview: Page [A1.3](#)
To Scale: Page [F1.2](#)



PX 4026

Reference: 113
Overview: Page [A1.3](#)
To Scale: Page [F1.2](#)



PX 2033

Reference: 114
Overview: Page [A1.4](#)
To Scale: Page [F1.3](#)



PX 6033

Reference: 121
Overview: Page [A1.4](#)
To Scale: Page [F1.5](#)

**MR 1000**

Reference: 180
Overview: Page [A1.7](#)
To Scale: Page [F1.4](#)

**TR 1100**

Reference: 130
Overview: Page [A1.5](#)
To Scale: Page [F1.5](#)

**MR 1100**

Reference: 181
Overview: Page [A1.7](#)
To Scale: Page [F1.4](#)

**TR 1200**

Reference: 131
Overview: Page [A1.5](#)
To Scale: Page [F1.5](#)

**MR 1200**

Reference: 182
Overview: Page [A1.7](#)
To Scale: Page [F1.4](#)

**TR 1220**

Reference: 132
Overview: Page [A1.5](#)
To Scale: Page [F1.5](#)

**MR 1220**

Reference: 183
Overview: Page [A1.7](#)
To Scale: Page [F1.4](#)

**TR 1300**

Reference: 133
Overview: Page [A1.5](#)
To Scale: Page [F1.5](#)

**MR 1300**

Reference: 184
Overview: Page [A1.8](#)
To Scale: Page [F1.4](#)

**TR 1400**

Reference: 134
Overview: Page [A1.6](#)
To Scale: Page [F1.5](#)

**MR 1400**

Reference: 185
Overview: Page [A1.8](#)
To Scale: Page [F1.4](#)



S 135

Reference: 186
Overview: Page [A1.9](#)
To Scale: Page [F1.3](#)



S 232

Reference: 187
Overview: Page [A1.9](#)
To Scale: Page [F1.3](#)



S 345

Reference: 188
Overview: Page [A1.9](#)
To Scale: Page [F1.3](#)



S 445

Reference: 189
Overview: Page [A1.9](#)
To Scale: Page [F1.3](#)



AP 128-1

Reference: AP128-1
Overview: Page [A1.10](#)
To Scale: Page [F1.15](#)



AP 128-2

Reference: AP128-2
Overview: Page [A1.10](#)
To Scale: Page [F1.15](#)




AP 200-1

Reference: AP200-1
Overview: Page [A1.11](#)
To Scale: Page [F1.16](#)



AP 200-2

Reference: AP200-2
Overview: Page [A1.11](#)
To Scale: Page [F1.16](#)



AR 200-1

Reference: AR200-1
Overview: Page [A1.13](#)
To Scale: Page [F1.17](#)



AR 200-2

Reference: AR200-2
Overview: Page [A1.13](#)
To Scale: Page [F1.17](#)



AP 45

Reference: AP45
Overview: Page [A1.12](#)
To Scale: Page [F1.15](#)



R 4405

Reference: 144
Overview: Page [A1.21](#)
To Scale: Page [F1.3](#)

**VR 108**


Reference: 139
Overview: Page [A1.16](#)
To Scale: Page [F1.8](#)

**VR 76**


Reference: 190
Overview: Page [A1.20](#)
To Scale: Page [F1.14](#)

**VR 168**

Reference: 135
Overview: Page [A1.15](#)
To Scale: Page [F1.9](#)

**VR 188**

Reference: 136
Overview: Page [A1.16](#)
To Scale: Page [F1.10](#)

**VS 108**

Reference: 138
Overview: Page [A1.14](#)
To Scale: Page [F1.6](#)

**VSX 108**

Reference: 137
Overview: Page [A1.14](#)
To Scale: Page [F1.7](#)

**VS 45108**

Reference: 178
Overview: Page [A1.17](#)
To Scale: Page [F1.11](#)

**VS 45308**

Reference: 179
Overview: Page [A1.17](#)
To Scale: Page [F1.11](#)

**VS 76**

Reference: 195
Overview: Page [A1.18](#)
To Scale: Page [F1.13](#)

**VSX 76**

Reference: 196
Overview: Page [A1.18](#)
To Scale: Page [F1.13](#)

**VS 4576**

Reference: 177
Overview: Page [A1.19](#)
To Scale: Page [F1.12](#)

**VS 45376**

Reference: 176
Overview: Page [A1.19](#)
To Scale: Page [F1.12](#)



VO 108

Reference: 140
Overview: Page [A1.15](#)
To Scale: Page [F1.11](#)



VO 76

Reference: 141
Overview: Page [A1.26](#)
To Scale: Page [F1.26](#)



VS 76135

Reference: 197
Overview: Page [A1.20](#)
To Scale: Page [F1.18](#)

PX 8000



Reference: 111

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized

To Scale: Page [F1.1](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)



PX 5000


Reference: 109

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized

To Scale: Page [F1.1](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)



PX 3135


Reference: 110

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized

To Scale: Page [F1.1](#)

Powder Coat: Colors [H1.1](#) Textures [H2.1](#)




PX 3001

Reference: 107

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.1](#)

PX 3032

Reference: 112

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.1](#)

PX 3450

Reference: 123

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.2](#)

PX 3002

Reference: 124

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.2](#)

PX 4032

Reference: 108

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.2](#)

PX 4026

Reference: 113

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.2](#)

PX 6033

Reference: 121

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.5](#)

PX 2033

Reference: 114

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized



To Scale: Page [F1.3](#)

TR 1100

Reference: 130

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.5](#)

TR 1200

Reference: 131

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized



To Scale: Page [F1.5](#)

TR 1220

Reference: 132

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.5](#)

TR 1300

Reference: 133

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized

To Scale: Page [F1.5](#)



TR 1400

Reference: 134

Lengths: Up to 292" (7417 mm)


Finish: Clear anodized

To Scale: Page [F1.5](#)




MR 1000

Reference: 180
 Lengths: Up to 292" (7417 mm)
 Finish: Clear anodized
 To Scale: Page [F1.4](#)




MR 1100

Reference: 181
 Lengths: Up to 292" (7417 mm)
 Finish: Clear anodized
 To Scale: Page [F1.4](#)




MR 1200

Reference: 182
 Lengths: Up to 292" (7417 mm)
 Finish: Clear anodized
 To Scale: Page [F1.4](#)



MR 1220

Reference: 183
 Lengths: Up to 292" (7417 mm)
 Finish: Clear anodized
 To Scale: Page [F1.4](#)




MR 1300

Reference: 184

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.4](#)

MR 1400

Reference: 185

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.4](#)

S 135

Reference: 186

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.3](#)

S 232

Reference: 187

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.3](#)

S 345

Reference: 188

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.3](#)

S 445

Reference: 189

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.3](#)

AP 128-1

Reference: AP128-1

Lengths: Up to 194" (4928 mm)

Finish: Clear anodized


To Scale: Page [F1.15](#)

AP 128-2

Reference: AP128-2

Lengths: Up to 194" (4928 mm)

Finish: Clear anodized


To Scale: Page [F1.15](#)

AP 200-1

Reference: AP200-1

Lengths: Up to 194" (4928 mm)

Finish: Clear anodized


To Scale: Page [F1.16](#)

AP 200-2

Reference: AP200-2

Lengths: Up to 194" (4928 mm)

Finish: Clear anodized

To Scale: Page [F1.16](#)


AP 45

Reference: AP45

Lengths: Up to 120" (3048 mm)

Finish: Clear anodized

To Scale: Page [F1.15](#)





AR 200-1

Reference: AR200-1

Lengths: Up to 194" (4928 mm)

Finish: Clear anodized



To Scale: Page [F1.17](#)

AR 200-2

Reference: AR200-2

Lengths: Up to 194" (4928 mm)

Finish: Clear anodized

To Scale: Page [F1.17](#)



VS 108

Reference: 138

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized

To Scale: Page [F1.6](#)




VSX 108

Reference: 137

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized

To Scale: Page [F1.7](#)



[a] 27.5 mm (1 1/16 inches) [d] 15 mm (9/16 inches)
 [b] 15 mm (9/16 inches) [e] 27.5 mm (1 1/16 inches)
 [c] 27.5 mm (1 1/16 inches) [f] 15 mm (9/16 inches)





VO 108

Reference: 140

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized



To Scale: Page [F1.11](#)

VR 168

Reference: 135

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.9](#)

VR 108

Reference: 139

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.8](#)

VR 188

Reference: 136

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.10](#)

VS 45108

Reference: 178

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized

To Scale: Page [F1.11](#)

[a] 15 mm (9/16")
 [b] 27.5 mm (1 1/16")
 [c] 27.5 mm (1 1/16")
 [d] 15 mm (9/16")




VS 45308


Reference: 179

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized

To Scale: Page [F1.11](#)

[a] 15 mm (9/16")
 [b] 27.5 mm (1 1/16")
 [c] 27.5 mm (1 1/16")
 [d] 15 mm (9/16")




VSX 76

Reference: 196

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.13](#)

VS 76

Reference: 195

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.13](#)

VS 4576

Reference: 177

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.12](#)

VS 45376

Reference: 176

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.12](#)

VR 76

Reference: 190

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.14](#)

VS 76135

Reference: 197

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized


To Scale: Page [F1.18](#)

VS 45

Reference: 175

Lengths: Up to 292" (7417 mm)

Finish: Clear anodized


To Scale: Page [F1.14](#)

R 4405

Reference: 144

Lengths: Up to 213" (5410 mm)

Finish: Clear anodized

To Scale: Page [F1.3](#)

VO 76

Reference: 141

Lengths: Up to 198" (5029 mm)

Finish: Clear anodized

To Scale: Page [F1.26](#)

