



ONLINE CATALOG

Sign & Panel Support Systems

Features & Components

Restaurant & Bar ▶

◀ Dining Rooms

◀ Training Room

◀ Board Room

CONTACT INFORMATION

- To Order Products, Check Status of Your Order or Track Your Package... call toll free **800-753-9688**
- Send Your Inquires, Questions or Comments to **info@novadisplay.com**
(For assistance with general questions or actual display projects, please fax or e-mail us a short description and a graphical attachment. For best results, please send us a rough sketch or a project lay-out with dimensions and any special details. Using your drawing, we will generate a quote and specification sheet for the parts that lists the pricing, availability, delivery time, etc. You will receive a copy for review before ordering)
- For more information on our products and services, including pricing, technical information, and installation instructions visit our website at **www.novadisplay.com**
- You are also invited to visit our Online Store at **www.store.novadisplay.com**, where you will find various concept ideas and a comprehensive range of standard "Display Kits".

1626 Piner Road
Santa Rosa, CA 95403

1.800.753.9688 toll
1.800.753.0856 fax

1.707.535.0253 tel
1.707.535.0254 fax

www.novadisplay.com
www.store.novadisplay.com

info@novadisplay.com
sales@novadisplay.com

Sign Support Systems

Sign & Panel Supports - Features & Benefits



Use these high-quality supports to create:

- **Logo/Graphic Panels**
- **Directional Signs**
- **Information Signs**
- **Departmental Signs**
- **Office Directories**
- **Corporate Signage**
- **Menus**


Great for mounting signs and panels in:

- **Lobbies**
- **Receptions**
- **Showrooms**
- **Exhibits**
- **Museums**
- **Galleries**
- **Offices**
- **Retail Outlets**
- **Banks**
- **Shopping Malls**
- **Airports**
- **Hotels**
- **Universities**
- **Colleges**



WALL MOUNTED SUPPORTS


Signs are often the first opportunity to make an impression, so make sure your signs give the right message... Any sign will be greatly enhanced in appearance by the use of a professional support system. Solve your installation challenges with systems that have been created to meet your every design and environmental demand with many different methods of fixing.



It is a very practical concept, which offers an infinite variety of display mounting options, using quality hardware components available in numerous finishes. Can be used for indoor mounting of display panels, architectural signs, directional and informational signage, company directories, and other decorative applications. Consists of basic standoffs, caps, edge grips, panel clamps. Exclusive use of brass, anodized to a bright chrome or satin finish make it grate-looking, timeless, and yet aesthetic effective.


DOUBLE DEPTH PANELS

Make a strong design statement by using one panel in front of another to create a double-depth sign. Can be achieved by joining two supports with PC31 to take a panel up to 6mm thick.



NEED A LONGER SUPPORT?

Join two supports together using PC31.




■ FINISH OPTIONS:


Standard finishes: Satin Chrome, Polished Chrome, Brass. Special finishes available on request.

INSTALLATION TIPS


- Large Supports - special ridge projects from end of fitting to allow panel to sit in position during installation.



- Join to supports together using PC31 to create a double-depth sign.



CONCEPT IDEAS



Sign Support Systems

Sign & Panel Supports - Features & Benefits

FOUR WAY SPACER

Allows multiple panels to be butted closely together using a single support in the center. For use with 1" diameter supports and to hold up to 1/4" thick panels.

PLASTIC SPACER


Enables a sign, panel or acrylic pocket to be fitted without a hole. Designed for use with 5/8" diameter fittings. Available in two sizes: 2mm (1/13") & 3mm (1/8") thick.

SUPPORTS FOR PANELS WITHOUT HOLES

Enhance the appearance of your signage or graphic display by using the edge gripper. Wall mount that allows you to support any panel from the side without drilling it. Edge grip supports are available for panels up to 7mm (9/32") thick.

CHANNEL FIXING

Fit signs into an exhibition profile - no tools required. Twist and lock your sign anywhere along the length of a channel for fast installation of suspended or vertically mounted signs.



WM15
(see page 44)



Quick Fit Toggle...
Brass toggle that screws into the top end of a cable or wall fitting. Unit fits directly into almost any make channel.




Toggle...
For fixing cable, rod and wall fittings to channel. Can be used with all top and bottom fittings.

Top Fixing for Exhibitions - Suspend from ceiling mounted profile or from an exhibition structure. Just clip in, turn and then hang standard accessories from the cable system.


No holes in the wall - Wall-mounted supports, with the Quick Fit Toggle can be used into vertical profiles.

FIXING RODS TO WALL



Fix rods directly back to the wall with WM11 and RS03. Ideal for creating high impact graphic presentations... Gives a good solid fixing to any type of wall. Use the R1000P for single bays and the R1500 for continuous runs. WM11 projects from center of rod 24mm (1") away from the wall, RS03 projects from center of rod 10mm (3/8") away from wall.



WM11
(see page 26)



RS03
(see page 26)



• Mount multiple panels from corners using four way spacers WM20



• Use plastic washers WMS-2 and WMS-3 to mount clear acrylic pockets without drilling.



• Use toggles PC01-Q or AT to mount wall mounts to channels.

■ ORDERING TIP:

The following details must be provided when ordering: product name, item number, and item finish code.

■ PRODUCT INFO:

For more information on sign support systems, including pricing, specifications, and installation instructions visit our website at www.novadisplay.com

Sign Support Systems

Wall Mounted Supports

SUPPORT - SMALL

- Takes no. 6 screw
 - Panel Hole Size 9mm (23/64")
 - Panel Thickness - Up to 12.7mm (1/2")
- Size: 20mm (3/4") Length, 12.7mm (1/2") Diameter.

WM12	Satin Chrome	225
WM12/PC	Polished Chrome	
WM12/BR	Polished Brass	



SUPPORT - SMALL

- Takes no. 10 screw
- Size: 8mm (5/16") Depth, 16mm (5/8") Diameter.

WM19	Satin Chrome	226
WM19/PC	Polished Chrome	
WM19/BR	Polished Brass	



SUPPORT - MEDIUM SHORT

- Takes no. 10 screw
 - Panel Hole Size 6mm (15/64")
 - Panel Thickness - Up to 7mm (1/4")
- Size: 13mm (1/2") Length, 16mm (5/8") Diameter.

WM05	Satin Chrome	227
WM05/PC	Polished Chrome	
WM05/BR	Polished Brass	



* For extra thick panels up to 20mm (3/4") order WM05/S

SUPPORT - MEDIUM

- Takes no. 10 screw
 - Panel Hole Size 6mm (15/64")
 - Panel Thickness - Up to 12.7mm (1/2")
- Size: 25mm (1") Length, 16mm (5/8") Diameter.


WM05-13	Satin Chrome	228
WM05-13/PC	Polished Chrome	
WM05-13/BR	Polished Brass	



SUPPORT - MEDIUM LONG

- Takes no. 10 screw
 - Panel Hole Size 6mm (15/64")
 - Panel Thickness - Up to 7mm (1/4")
- Size: 40mm (1-1/2") Length, 16mm (5/8") Diameter.

WM05L	Satin Chrome	229
WM05L/PC	Polished Chrome	
WM05L/BR	Polished Brass	




* For extra thick panels up to 20mm (3/4") order WM05L/S

SUPPORT - MEDIUM LONG

- Takes no. 10 screw
 - Panel Hole Size 6mm (15/64")
 - Panel Thickness - Up to 12.7mm (1/2")
- Size: 40mm (1-1/2") Length, 16mm (5/8") Diameter.

WM05L-20	Satin Chrome	230
WM05L-20/PC	Polished Chrome	
WM05L-20/BR	Polished Brass	



SUPPORT - LARGE 20

- Takes no. 10 screw
 - Panel Hole Size 6mm (15/64")
 - Panel Thickness - Up to 12.7mm (1/2")
- Size: 25mm (1") Length, 16mm (5/8") Diameter, 20mm (3/4") Diameter Cap.


WM18	Satin Chrome	231
WM18/PC	Polished Chrome	
WM18/BR	Polished Brass	



- Large Supports - special ridge projects from end of fitting to allow panel to sit in position during installation.


INSTALLATION TIPS

- Medium & Large Supports are fixed onto the wall using boss fixing (solid brass threaded insert for a single screw no. 10 or toggle bolt...)



CONCEPT IDEAS

- Your choice of finishes, materials, and shapes...



- Be adventurous and turn a simple design in something spectacular...



HARDWARE OPTIONS:



For extra thick panels up to 20mm (3/4") order WM05/S and WM05L/S. Made to order only. Specify panel thickness. For example: WM05/S - 1/2"

FINISH OPTIONS:

Standard finishes: Satin Chrome, Polished Chrome, Brass. Special finishes available on request.

Sign Support Systems

Wall Mounted Supports



SUPPORT - LARGE 25

- Takes no. 10 screw
 - Panel Hole Size 12.7mm (1/2")
 - Panel Thickness - 7mm (1/4") x 20mm (3/4")
- Size: 25mm (1") Length, 25mm (1") Diameter.


WM15	Satin Chrome	232
WM15/PC	Polished Chrome	
WM15/BR	Polished Brass	



SUPPORT - LARGE 50

- Takes no. 10 screw
 - Panel Hole Size 12.7mm (1/2")
 - Panel Thickness - 7mm (1/4") x 20mm (3/4")
- Size: 50mm (2") Length, 25mm (1") Diameter.


WM16	Satin Chrome	233
WM16/PC	Polished Chrome	
WM16/BR	Polished Brass	



SUPPORT - LARGE 75

- Takes no. 10 screw
 - Panel Hole Size 12.7mm (1/2")
 - Panel Thickness - 7mm (1/4") x 20mm (3/4")
- Size: 75mm (3") Length, 25mm (1") Diameter.


WM17	Satin Chrome	234
WM17/PC	Polished Chrome	
WM17/BR	Polished Brass	



SUPPORT FOR GLASS PANELS

- Takes no. 10 screw
 - Panel Hole Size 9mm (23/64")
 - Supplied with a rubber sleeved shaft designed to support up to 12mm (15/32") glass or two pieces of 6mm (15/64").
- Size: 32mm (1-1/4") Length, 16mm (5/8") Diameter.


WM08	Satin Chrome	235
WM08/PC	Polished Chrome	
WM08/BR	Polished Brass	



EDGE-GRIP / PANEL SUPPORT

- Takes no. 10 screw
 - Panel Thickness - Up to 7mm (1/4")
 - Locks to any angle.
 - Ideal for use with easy access pockets.
- Size: 32mm (1-1/4") Length, 18mm (11/16") Diameter.


WM09	Satin Chrome	236
WM09/PC	Polished Chrome	
WM09/BR	Polished Brass	



PANEL HOOK

- Takes no. 10 screw
 - Panel Thickness - Up to 3mm (1/8")
- Size: 19mm (3/4") Length, 16mm (5/8") Diameter.

WM06	Satin Chrome	237
WM06/PC	Polished Chrome	
WM06/BR	Polished Brass	



PICTURE HOOK

- Takes no. 10 screw
 - For framed artwork and photos
- Size: 28mm (1-7/64") Length, 16mm (5/8") Diameter.

WM07	Satin Chrome	238
WM07/PC	Polished Chrome	
WM07/BR	Polished Brass	




- Available in three standard finishes: Satin Chrome, Polished Chrome, Polished Brass. Special finishes available on request.



INSTALLATION TIPS

- WM09 - Support (edge grip) that allows panels up to 1/4" thick to be fitted, held on any edge. No holes required.



ORDERING TIP:

The following details must be provided when ordering: product name, item number, and item finish code.

PRODUCT INFO:

For more information on sign support systems, including pricing, specifications, and installation instructions visit our website at www.novadisplay.com

Sign Support Systems


Projecting Panel & Shelf Supports

PANEL / SHELF SUPPORT

- Takes no. 10 screw
- For panels or shelves up to 7mm (1/4") thick.
- Spacing from wall - 19mm (3/4")

Size: 30mm (1-3/16") Length, 16mm (5/8") Diameter.

WM01	Satin Chrome	239
WM01/PC	Polished Chrome	
WM01/BR	Polished Brass	




PANEL / SHELF SUPPORT

- Takes no. 10 screw
- For panels or shelves up to 10mm (3/8") thick.
- Spacing from wall - 19mm (3/4")

Size: 30mm (1-3/16") Length, 18mm (11/16") Diameter.

WM02	Satin Chrome	240
WM02/PC	Polished Chrome	
WM02/BR	Polished Brass	




PANEL / SHELF SUPPORT

- Takes no. 10 screw
- For panels or shelves up to 7mm (1/4") thick.
- Spacing from wall - 5mm (3/16")

Size: 16mm (5/8") Length, 16mm (5/8") Diameter.

WM03	Satin Chrome	241
WM03/PC	Polished Chrome	
WM03/BR	Polished Brass	




PANEL / SHELF SUPPORT

- Takes no. 10 screw
- For panels or shelves up to 10mm (3/8") thick.
- Spacing from wall - 5mm (3/16")

Size: 16mm (5/8") Length, 18mm (11/16") Diameter.

WM04	Satin Chrome	242
WM04/PC	Polished Chrome	
WM04/BR	Polished Brass	




SUPPORT FOR WOODEN OR GLASS SHELVES

- Takes no. 10 screw
- Adjustable to any angle of slope. Can be locked into position.
- Spacing from wall - 19mm (3/4")
- For glass shelves add ref. P08 below.

Size: 39mm (1-7/32") Length, 16mm (5/8") Diameter.

WM10	Satin Chrome	241
WM10/PC	Polished Chrome	
WM10/BR	Polished Brass	




SCREW TO RETAIN GLASS SHELVES

- Supported on WM10 to hold 6mm (15/64") thick glass shelves as standard.
- Flush Finish. Plastic insert to protect glass.

Size: 16mm Diameter, 6mm Diameter Hole, 12mm from the edge of the glass.

P08	Satin Chrome	245
P08/PC	Polished Chrome	
P08/BR	Polished Brass	




DECORATIVE SUPPORT PLATE

- Add to any of the 16mm (5/8") Dia. wall fittings.


Size: 38mm (1-1/2") Diameter.

P01	Satin Chrome	246
P01/PC	Polished Chrome	
P01/BR	Polished Brass	




INSTALLATION TIPS

- WM01 & WM02 - Support for signs and decorative shelves projecting from wall.



CONCEPT IDEAS



FINISH OPTIONS:

Standard finishes: Satin Chrome, Polished Chrome, Brass. Special finishes available on request.

Sign Support Systems

Accessories for Panel & Sign Supports



SUPPORT JOINER / PANEL SPACER

- Using PC31 and different size large supports can create a longer support or a double depth sign or panel.
- Invisible when in use.

* Panel thickness between two supports - 7mm (1/4").

PC31	Unfinished Brass	247
-------------	-------------------------	-----



FOUR WAY SPACER

- Allows multiple panels to be butted closely together. Holds panel on corner.
- Takes panels 7mm (1/4") thick.
- Used with 25mm (1") Dia. supports only.

Size: 25mm (1") Diameter, 7mm (1/4") Depth.

WM20	Satin Chrome	248
WM20/PC	Polished Chrome	
WM20/BR	Polished Brass	



PLASTIC WASHER

- Enables a sign, panel or acrylic pocket holder to be fitted without hole.
- Designed for use with 16mm (5/8") Dia. supports.
- Available in two sizes: 2mm (1/13") and 3mm (1/9") thick.
- Clean appearance as no visible screw.

WMS-2	White Nylon	249
WMS-3	White Nylon	



QUICK FIT TOGGLE

- Brass toggle that screws into the top end of a cable or wall fitting.
- Unit fits directly into almost any make of channel.
- Invisible when in use.

PC01-Q	Unfinished Brass	250
---------------	-------------------------	-----



TOGGLE

- For fixing wall mounts to channels.
- Allen key provided.

AT	Silver	251
-----------	---------------	-----

SCREWS & FASTENERS

WOOD SCREWS

- Tapered shank screw for use exclusively in wood.
- Available in phillips flat head style.

#6 x 1-1/4	Stainless Steel
#6 x 1-1/2	Stainless Steel
#10 x 2	Stainless Steel
#10 x 2-1/2	Stainless Steel
#10 x 3	Stainless Steel

SPLIT-WING TOGGLE BOLTS

- Suitable for all hollow wall installations. A strong, dependable fastener for ceilings, walls or wherever there is an inaccessible attachment needed.

1/4 x 20 x 3	Stainless Steel
1/4 x 20 x 4	Stainless Steel

TAPCON CONCRETE SCREWS

- Use with the following base materials: concrete, brick, stone, block.
- Supplied with one Tapcon "close tolerance" masonry drill bit per 25 anchors.


3/16 x 1-3/4	Stainless Steel
3/16 x 2-1/4	Stainless Steel
3/16 x 2-3/4	Stainless Steel

SELF DRILLING/PIERCING SCREWS

- Self-drilling fasteners for attaching into metal, aluminum.
- Drills hole, forms mating thread and clamps in one easy operation.
- Use for mounting rebate channel to t-bars of suspended ceilings.

#6 x 1/2	Stainless Steel
#8 x 3/4	Stainless Steel

CONCEPT IDEAS



■ ORDERING TIP:

The following details must be provided when ordering: product name, item number, and item finish code.

■ PRODUCT INFO:

For more information on sign support systems, including pricing, specifications, and installation instructions visit our website at www.novadisplay.com

Ordering, Payment & Return Policies

Ordering Policy

To start your order first, carefully review the product and service information on our web site, if you don't see exactly what you want, please contact us regarding availability, size, and quantity requirements for your project. Make sure you have decided on exactly what you need. Then, consult us on all your questions regarding our products, components and parts, because many of components can be easily confused. Contact us to receive a quote for your project. After placing an order, the customer receives via fax or e-mail a Customer Order Acknowledgment, which indicates in detail descriptions of items and pricing. Orders will not be processed without Nova Display, Inc. receiving a signed copy of said Customer Order Acknowledgment. Make sure to review and initial all areas. All changes to your orders of stock merchandise can be modified no later than 24 hours after receiving your order. We will call or fax you immediately should something change concerning your order.

Sample Policy

Nova Display, Inc. will provide samples for your testing and inspection. Most samples are supplied at 40% discounted cost (plus UPS Charges). If you need to order components for a prototype or fabrication of a prototype, please contact us for a quotation.

Payment Policy

All orders are shipped F.O.B Nova Display. We accept Visa, or Master Card, in addition to Money Orders, Cashier's Checks and Business/Personal Checks. For orders by phone, you may pre-pay your order via check or wire transfer. Orders prepaid with a check will be shipped within 24 hours of check clearance. New customers wishing to prepay an order totaling \$5,000 or more must allow 10 business days for their check to clear. This policy applies to personal, business, cashiers, and certified checks, as well as money orders.

Overseas customers may pay by Credit Card or Bank T/T at the time of shipment. We do not charge your credit card for any item until it is shipped, this doesn't apply to customized and non-standard items. All credit card orders are subject to credit verification and approval. For your protection, credit card orders shipped to an address other than your billing address may require additional verification.

Qualified businesses or organizations will be given Net 30 terms upon approved credit. In order to open an account, please provide a bank reference and three trade references. Customers with established credit are expected to pay NET within specific terms of their account, pre-established credit limits, and our standard Terms and Conditions, otherwise the line of credit will be discontinued.

All Custom Orders require a 50% Deposit before start of fabrication. Remainder due prior to shipping unless other terms have been determined by Nova Display, Inc. Credit Department.

All pricing and specifications are subject to change, without prior notice. Freight, handling and insurance will be added to your order. Please call for current pricing and availability. Send payments to: Nova Display, Inc., 1626 Piner Road, Santa Rosa, CA 94503

We also suggest you to use our automated ordering system when placing an order, or buying our products online. We accept electronic check payments via PayPal. It also allows you to make payments using VISA / Master Card / American Express. If you don't want to use our secure ordering system or are having problems using it call us toll free: 800-753-9688.

Quality Policy

All merchandise is produced to standard and commercial tolerances. Nova Display, Inc. warranties product to be free from defects in workmanship and material. When Nova Display has determined that a product is defective, it will be replaced. Nova Display liability is limited to the cost of the defective product. No other warranty is expressed or implied.

Shipping Policy

90% of orders on finished products are shipped out within 2-15 business days from our sales/distribution center. The custom made products or components which are not available in stock at the moment of ordering will be shipped in 2-8 weeks. Most orders are shipped via UPS or FedEx, unless otherwise specified. We offer express air and economical two day air service on most items in stock. For large orders, we'll ship freight collect by the most reliable and inexpensive carrier to your location.

Return Policy

Inspect all your shipment immediately upon arrival. If your order is not received in satisfactory condition, keep all packaging and notify us within (3) days of receipt. Stock merchandise in original, unopened packaging may be returned for refund within fifteen (15) days of receipt. Items must be in their original state (undamaged). Shipping and handling charges for returned items are non-refundable. All returns must be accompanied by the order statement. You may want to insure your return. We cannot be responsible for lost or misdirected returns. If you paid for your order by credit card, a credit will be issued and will appear on your billing statement. Returns must be insured for the invoiced value of the merchandise. Please note that custom merchandise is not returnable. A 15%-30% restocking fee will be charged on all returns. If you have any questions, ask your salesperson for details. Merchandise must be returned to: Nova Display, Inc., 1626 Piner Road., Santa Rosa, CA 95403-1908



*"All you need to create
high impact displays..."*

Lobbies

Receptions

Showrooms

Windows

Corridors

Exhibitions

Museums

Galleries

Offices

Retail Outlets

Banks

Point-of-Sale

Airports

Shopping Malls

Sport Arenas

Hotels

Universities

Colleges